









#### **DESCRIPTION**

OS2 9/125 GYTS

 The bers, 250µm, are positioned in a loose tube made of a high modulus plastic.

FIBER CABLE 144 CORE SINGLE MODE

- The tubes are Iled with a water-resistant Ring compound.
- A steel wire, sometimes sheathed with polyethylene (PE) for cable with high fiber count, locates in the center of core as a metallic strength member.
- Tubes (and Hers) are stranded around the strength member into a compact and circular cable core.
- The PSP is longitudinally applied over the cable core, witch is filed with the Ring compound to protect it from water ingress.

Then, the cable is completed with a PE sheath.

# THE FOLLOWING MEASURES ARE TAKEN TO ENSURETHE CABLE WATERTIGHT:


- Steel wire used as the central strength member.
- Loose tube filling compound.
- 100% cable core filling.
- PSP enhancing moisture-proof.


#### **FEATURES**

Good mechanical and temperature performance.


NS-401SM144

- High strength loose tube that is hydrolysis resistant.
- Special tube filling compound ensure a critical protection of fiber.
- Special designed compact structure is good at preventing loose tubes from shrinking.
- Crush resistance and flexibility.
- PE sheath protects cable from ultraviolet radiation.











### **1.Technical Parameters**

Cable Type 2 (Increased by 2 bers)	Fiber Count	Tubes	Fillers	Cable Diameter (mm)	Cable Weight (kg/km)	Tensile Strength Long/Short term (N)	Crush Resistance Long/Short term (N/100mm)	Bending Radius Static/Dynamic (mm)
GYTS-2~6	2~6	1	4	9.5	100	600/1500	300/1000	10D/20D
GYTS-8~12	8~12	2	3	9.5	100	600/1500	300/1000	10D/20D
GYTS-14~18	14~18	3	2	9.5	100	600/1500	300/1000	10D/20D
GYTS-20~24	20~24	4	1	10.5	100	600/1500	300/1000	10D/20D
GYTS-26~30	26~30	5	0	10.5	100	600/1500	300/1000	10D/20D
GYTS-32~36	32~36	6	0	10.5	119	1000/3000	300/1000	10D/20D
GYTS-38~48	38~48	4	1	11.0	136	1000/3000	300/1000	10D/20D
GYTS-50~60	50~60	5	0	11.0	136	1000/3000	300/1000	10D/20D
GYTS-62~72	62~72	6	0	12.0	155	1000/3000	300/1000	10D/20D
GYTS-74~84	74~84	7	1	13.6	192	1000/3000	300/1000	10D/20D
GYTS-86~96	86~96	8	0	13.6	192	1000/3000	300/1000	10D/20D
GYTS-98~108	98~108	9	1	15.0	227	1000/3000	300/1000	10D/20D
GYTS-110~120	110~120	10	0	15.0	227	1000/3000	300/1000	10D/20D
GYTS-122~132	122~132	11	1	16.9	227	1000/3000	300/1000	10D/20D
GYTS-134~144	134~144	12	0	16.9	227	1000/3000	300/1000	10D/20D

## 2. Optical Characteristics

	Characteristics	Conditions	Specified values	Units
		1310nm	≤0.36	[dB/km]
		1383nm(after H <sub>2</sub> -aging)	≤0.36	[dB/km]
	Attenuation	1550nm	≤0.22	[dB/km]
		1625nm	≤0.24	[dB/km]
	Attenuation vs. Wavelength	1285-1330nm, in reference to 1310nm	≤0.03	[dB/km]
	Max. α difference	1525-1575nm, in reference to 1550nm	≤0.02	[dB/km]
		1285-1340nm	-3.5 to 3.5	[ps/(nm·km)]
	Dispersion Coefficient	1550nm	≤18	[ps/(nm·km)]
2-4		1625nm	≤22	[ps/(nm·km)]
Ze	ero Dispersion Wavelength(λ <sub>0</sub> )		1300-1324	[nm]
	Zero Dispersion Slope(S <sub>0</sub> )		≤0.092	[ps/(nm <sup>2</sup> ·km)]
	Typical Value		0.086	[ps/(nm <sup>2</sup> ·km]
	Maximum Individual Fibre		≤0.1	[ps/√km]
PMD	Link Design Value (M=20, Q=0.01%)		≤0.06	[ps/√km]
	Typical Value		0.04	[ps/√km]
C	able Cutoff Wavelength (λ <sub>CC</sub> )		≤1260	[nm]
M	ode Field Diameter (MFD)	1310nm	8.7-9.5	[µm]
IVI	ode Field Diameter (MFD)	1550nm	9.8-10.8	[µm]
Effe	ctive Group Index of Refraction	1310nm	1.466	
	(N <sub>eff</sub> )	1550nm	1.467	
	Point Discontinuities	1310nm	≤0.05	[dB]
	2 3	1550nm	≤0.05	[dB]

### 3. Environmental Characteristics

1310nm, 1550nm & 1625nm											
Characteristics	Conditions	Specified values	Units								
Temperature Dependence Induced Attenuation	-60°C to +85°C	≤0.05	[dB/km]								
Temperature-Humidity Cycling Induced Attenuation	-10°C to +85°C, 98% RH	≤0.05	[dB/km]								
Water Immersion Dependence Induced Attenuation	23°C, for 30 days	≤0.05	[dB/km]								
Damp Heat Dependence Induced Attenuation	85°C and 85% RH, for 30 days	≤0.05	[dB/km]								
Dry Heat Aging	85°C, for 30 days	≤0.05	[dB/km]								

## 4. Geometrical Characteristics

Characteristics	Conditions	Specified values	Units
Cladding Diameter		125.0±0.7	[µm]
Cladding Non-Circularity		≤1.0	[%]
Coating Diameter	-	235-250	[µm]
Coating-Cladding Concentricity Error		≤12.0	[µm]
Coating Non-Circularity	-	≤6.0	[%]
Core-Cladding Concentricity Error		≤0.6	[µm]
Curl(radius)		≥4	[m]
Delivery Length		Up to 50.4	[km/reel]

## 5. Mechanical Specifications

	Characteristics	Conditions	Specified values	Units
		-	≥9.0	[N]
	Proof Test		≥1.0	[%]
		-	≥100	[kpsi]
	100 Turns Around a Mandrel of 30 mm Radius	1625nm	≤0.05	[dB]
Macro-bend Induced Attenuation	100 Turns Around a Mandrel of 25 mm Radius	1310nm and 1550nm	≤0.05	[dB]
	1 Turn Around a Mandrel of 16 mm Radius	1550nm	≤0.05	[dB]
	Coating Strip Force	typical average force	1.5	[N]
	Coating Strip Force	peak force	1.3-8.9	[N]
Dyr	namic Fatigue Parameter(n <sub>d</sub> )	-	≥20	

Loose tube color:								Fib	er color:								
NO.	1	2	3	4	5	6	7	8	NO.	1	2	3	4	5	6	7	8
Color	blue	oranage	green	brown	gray	white	red	Black	Color	blue	oranage	green	brown	gray	white	red	Black

Fib	Fiber count		24	48	72	96	144			
St	ructure	/			1+6					
Fib	oer type	/	G652D							
Central strength	Material				Steel					
en member	OD (Average)	mm		2.1±0.1						
	Material				PBT					
	OD (Average)		2.1±0.1							
Loose	Thickness (Average)	mm	0.30±0.1							
tube	Fiber max/tube		12	12	12	12	12			
	Loose tube color		Standard color							
	Extra fiber length	%	0.2~0.4							
Water blocking	Material	/	Flooding Compound+Water blocking tape+steel armor tape							
Outer	Material			HDPE						
jacket	Thickness	mm	2							
	OD	mm	10.6	10.6	12.8	13.5	15.0			
Cable wei	ght (Average)	Kg/km	100	100	110	120	140			
Tension	Long term	N	600							
strength	Short term	14	1500							
Crush	Long term	N/100	300							
resistance	Short term	N/100mm	1000							
Bending	Static				10 <b>D</b>					
Ridus	Dynamic	mm	mm 20D							
Environme	nt Installation	°C			-30/+60					
Temperatu					-40/+70					